



FWC

G.C.E. A/L Examination July - 2015

Conducted by Field Work Centre, Thondaimanaru


In Collaboration with

Zonal Department of Education Jaffna.

Grade :- 12 (2016)

CHEMISTRY

Time :- 3 Hours

- 01) The compound whose molecule has the smallest bond angle among them is
 1) SO_2 2) H_2O 3) H_2S 4) NH_3 5) CF_4
- 02) Which of the following is the most suitable Lewis structure for CNO^- ion
 1) $:\ddot{N}^{(-)} = C = \ddot{O}$ 2) $\ddot{N} \equiv C - \ddot{O}^{(-)}$ 3) ${}^{2-}\ddot{N} - C^{2+} - \ddot{O}^{(-)}$
 4) $:\ddot{C} = \overset{2+}{N} - \overset{(-)}{\ddot{O}}$ 5) $\ddot{O} = N^+ - C^{2-}$
- 03) Mass of an atom of element B is five times the mass of an atom of element A. If the mass of an atom of B is 3 times the mass of an atom of ${}^{12}_6C$ isotope, the relative atomic mass of A is
 1) 180 2) 36 3) 18 4) 14.4 5) 7.2
- 04) The number of enantiomer pairs among the mono - chloro substituted products formed in the reaction of 2 - methylbutane with Cl_2 in the presence of diffused light is
 1) 2 2) 3 3) 4
 4) 6 5) None of the above
- 05) Which of the following compounds may be used for preparing Grignard's reagent by treating it with Mg?
 1) $HC \equiv C - CH_2CH_2Cl$ 2) $CH_3 - \overset{O}{\parallel}C - CH_2Br$
 2) $CH_2 = CH - CH_2Br$ 4) 
 5) $CH_3 - \underset{|}{CH} - CH_2 - C \begin{matrix} // O \\ \backslash H \end{matrix}$
- 06) When boiled with conc. HNO_3 an inorganic salt Y produced a dark coloured gas. The solution obtained above gave a white precipitate with $BaCl_{2(aq)}$ The salt Y could be
 1) $CuBr$ 2) Ag_2CO_3
 3) CuI 4) AgI 5) PbO


- 13) Given that the average bond energy values of the bonds $C-H$, $C-C$, $C=C$ and $H-H$ at 298 K are $414, 347, 615,$ and 435 KJmol^{-1}
The enthalpy change for the reaction $CH_2 = CH_2 + H_2 \rightarrow CH_3CH_3$ is
- 1) $+250\text{kJ}$
 - 2) -250kJ
 - 3) $+125\text{kJ}$
 - 4) -125kJ
 - 5) None of the above
- 14) Which of the following statements regarding the elements in the periodic table is false
- 1) Group 14 consists of the three types metals, non – metals and metalloids
 - 2) Periods 4, 6 contain elements of all the 3 physical states solid, liquid and gas at 25°C
 - 3) All the uni-valent elements are metals
 - 4) Group 17 contain elements of all the 3 physical states – solid, liquid and gas
 - 5) In general, d – block elements have higher melting points than s – block elements
- 15) In acidic medium, VO_3^- ions are reduced to VO^{2+} ions. In the balanced equation for the above reaction, the correct stoichiometric coefficients of H^+ ions and electrons are respectively
- 1) $1 > 1$
 - 2) $4 > 1$
 - 3) $2 > 1$
 - 4) $5 > 1$
 - 5) $5 > 2$

❖ Summary of above Instructions for question no. 16 - 20

1	2	3	4	5
Only (a) and (b) correct	Only (b) and (c) correct	Only (c) and (d) correct	Only (d) and (a) correct	Any other response or combination of responses correct.

- 16) In the hydrogen halides HF, HCl, HBr and HI which of the following properties decreases / decrease in the given order of the species?
- a) Boiling point
 - b) Reducing ability
 - c) Thermal stability
 - d) Dipole moment
- 17) With which of the following does H_2O_2 act as an oxidizing agent?
- a) MnO_4^-/H^+
 - b) Cr^{3+} / in OH^- Medium
 - c) Water suspension of PbS
 - d) MnO_2

- 18) Consider the following reaction scheme



The correct statement / Statements regarding the above is / are

- Al_2O_3/Δ may be used for the conversion of A into B
 - $Br_{2(aq)}$ can be used to convert B into C
 - $dilH_2SO_4/HgSO_4$ can be used to obtain E from D
 - E can be obtained by adding PCC / CH_2Cl_2 to A
- 19) A gaseous mixture containing H_2 and CH_4 gases has a density of $0.6kgm^{-3}$ at 300k and under a pressure of $3 \times 10^5 Nm^{-2}$. Assuming ideal behavior of gases, which of the following is / are true?
- The mole fraction of H_2 in the mixture is $11/14$
 - The average molar mass relevant to the gas mixture is approximately $5gmol^{-1}$
 - The partial pressure of CH_4 in the mixture is $3/14 \times 10^5 Nm^{-2}$
 - Even if the temperature of the system is changed to 500k, the density of the mixture remains the same as $0.6kgm^{-3}$
- 20) Which of the following contains / contain species of almost the same colour?
- $Ag_2CrO_4, PbCrO_4, BaCrO_4$
 - $[FeCl_4]^- , [NiCl_4]^{2-} , [CoCl_4]^{2-}$
 - Dry $CuCl_2, Cds, As_2S_3$
 - $[Cu(NH_3)_4]^{2+} , [Cr(NH_3)_6]^{3+} , [Ni(NH_3)_6]^{2+}$

❖ Summary of instructions for question 21 - 25

Statement - I	Statement - II
1) True	True and correctly explains statement I
2) True	True but does not explain statement I
3) True	False
4) False	True
5) False	False

	Statement I	Statement II
21)	Acetalene is more reactive than ethane	$C \equiv C$ bond energy is greater than $C - C$ bond energy
22)	Endothermic reactions occurring with a decrease in entropy cannot be spontaneous at any temperature	A reaction is spontaneous if only the Gibb's free energy change is negative
23)	Aqueous solution of NH_3 cannot be used for distinguishing Cu^{2+} , and Ni^{2+} solution	Both Cu^{2+} and $Ni^{2+}_{(aq)}$ form deep blue complex with excess NH_3 solution.
24)	$NH_3 / AgNO_3$ cannot be used for differentiating 1- butyne and 2 - butyne	Both 1 - butyne and 2 - butyne give the same product with $dil H_2 SO_4 / H_gSO_4$
25)	The boiling point of 2 - methylbutane is greater than that of 2 - 2 dimethy / propane	The strength of London forces decrease when the number of branches increases in the isomers of alkanes having the same molecular formula.